


**Counter**  
BLM-COUNTER-K



**PRODUCT DESCRIPTION**

The BrightLine backlit counter stands as a beacon of sophistication, seamlessly blending illumination, and functionality. Its sleek design, showcasing double-sided graphics, creates an ambiance that draws attention. Complete an inviting environment with brilliant counters showcasing double-sided branding and ample countertops that fit laptops or tablets.

Upgrade to the cordless version, where the base is loaded with rechargeable batteries that last over 12 hours. Whether in a showroom, a tradeshow exhibit, or a retail environment, the backlit counter defines a modern elegance and functionality in perfect harmony

**KEY FEATURES**

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

**DISPLAY CONSTRUCTION**

Aluminum frame with aluminum support poles

**DIMENSIONS**

|                |                                 |
|----------------|---------------------------------|
| Assembled Unit | 38" w x 38.2" h x 15.8" d       |
| Packed Case    | 43" w x 23" h x 13.5" d, 59 lbs |
| Shipping Box   | 44" w x 23" h x 14" d, 61 lbs   |
| Graphic Size   | 33" w x 36" h                   |
| Countertop     | 38" w x 0.625" h x 15.75" d     |
| Base           | 33" w x 1.6" h x 15" d          |
| Graphic Frame  | 33" w x 36" h x 4.8" d          |

**GRAPHIC MATERIAL**

|  |                              |
|--|------------------------------|
| Graphic Print :<br>Dye sublimated on One Planet, 100% recycled, backlit fabric | Bottles recycled<br><b>9</b> |
| Blocker :<br>One Planet light block recycled fabric                            | Bottles recycled<br><b>4</b> |

**GRAPHIC FINISHING**

Silicone sewn edges

**LED LIGHT SPECIFICATIONS**

|                       |            |
|-----------------------|------------|
| Power Requirements    | 64 W       |
| CCT (Color Temp)      | 6000 K     |
| Voltage Input         | 110 / 220V |
| Voltage Output        | 24V 4A 96W |
| Transformers Included | 1          |

**WARRANTY**

Limited Warranty Periods  
 - Frame : Lifetime  
 - Lights : 90 days  
 - Graphics : 30 days

